drstraetmans

Natural Eye Cream

L014-21.2-1209

Claims: **With natural cell energizer ribose**
Lifting and regenerating

Phase	Ingredient	INCI	Supplier	%
A	Deionised Water	Aqua		65.60
	Glycerol (85%)	Glycerin	Merck	3.50
	dermofeel® PA-3	Sodium Phytate, Aqua	**Dr. Straetmans**	**0.10**
	dermosoft® 1388 eco	Glycerin, Aqua, Sodium Levulinate, Sodium Anisate	**Dr. Straetmans**	**3.50**
A1	Amigum	Sclerotium Gum	Alban Muller	0.15
	Keltrol CG-SFT	Xanthan Gum	CP Kelco	0.15
B	**symbio®muls GC**	Glyceryl Stearate Citrate; Cetearyl Alcohol, Glyceryl Caprylate	**Dr. Straetmans**	**5.00**
	Tegosoft DC	Decyl Cocoate	Evonik	6.00
	Cegesoft SBE	Butyrospermum Parkii (Shea Butter)	Cognis	0.50
	Sesame oil, refined	Sesamum Indicum (Sesame) Seed Oil	Gustav Heess	6.00
	Coconut Oil, refined	Cocos Nucifera (Coconut) Oil	Gustav Heess	2.00
	dermofeel® E 67 non-GMO	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	**Dr. Straetmans**	**0.50**
C	**Riboxyl**	Ribose	**Lucas Meyer***	**1.00**
	Deionised Water	Aqua		3.00
	Suprem Nature Figue	See TDS	**Lucas Meyer***	**1.00**
	Liftessence Nature	Aqua, Glycerin, Cyathea Cumingii Leaf Extract	**Lucas Meyer***	**2.00**
D	Citric Acid (sol 20%)	Citric Acid	Merck	q. s.
				100.00

Manufacturing Procedure:

1. Mix phase A and heat up to 78°C under stirring. Disperse A1. Heat phase B up to 78°C.
2. Emulsify phase B into phase A under stirring. Homogenize for 1-2 min. using an Ultra Turrax.
3. Start to cool down under medium stirring. Premix phase C and add below 40°C.
4. Cool down to room temperature and adjust pH value if necessary.

Specification Values:
Appearance: soft, light yellow cream.
pH: 5.2 – 5.4.
Viscosity (Brookfield: Helipath TF; Speed 10): Approx. 25.000 - 30.000 mPa·s.
Centrifugation (15 min., 4.000 rpm): No separation.

Stability: More than 3 months stable at 20°C, 40°C and 4°C.

Microbiological Stability: Proven

* **distributed in Germany by Dr. Straetmans GmbH**

Disclaimer:
The information contained herein is meant to demonstrate how our products can be used. The given data are suggestions without any guarantee aimed to support customers' development. As production conditions at our customers' facilities are beyond our control we refuse to accept any liability involved in the use of our products. Please observe possible third party patent rights.

Dr. Straetmans Chemische Produkte GmbH, Merkurring 60-62, D-22143 Hamburg, Germany
T +49 (0)40-66 93 56-0, F +49 (0)40-66 93 56-310, info@dr-straetmans.de
http://www.dr-straetmans.de