drstraetmans

Well Fit Foot Cream

110-20-1010

Claims: **Moisturizing and rich cream for feet with rough and chapped skin**
prevention athlete's foot and unpleasant odor
dermosoft® decalact & dermofeel® TEC eco as proven actives

Phase	Ingredient	INCI	Supplier	%
A	Deionised Water	Aqua		50.55
	Glycerol (85%)	Glycerin	Merck	2.00
	dermofeel® PA-3	Sodium Phytate, Aqua	**Dr. Straetmans**	**0.10**
	dermosoft® OMP	Methylpropanediol; Caprylyl Glycol; Phenylpropanol	**Dr. Straetmans**	**4.00**
A1	Keltrol CG-SFT	Xanthan Gum	CP Kelco	0.50
	LaraCare A 200	Galactoarabinan	Larex	0.25
B	**dermofeel® GSC**	Glyceryl Stearate Citrate	**Dr. Straetmans**	**3.00**
	dermosoft® decalact	Sodium Caproyl/Lauroyl Lactyl Lactate	**Dr. Straetmans**	**1.00**
	Stearinsäure D2	Stearic Acid	Gustav Hees	5.00
	Cutina GMS V	Glyceryl Stearate	Cognis	2.00
	dermofeel® BGC	Butylene Glycol Dicaprylate/Dicaprate	**Dr. Straetmans**	**7.00**
	Cupuacu Butter Refined	Theobroma Grandiflorum Seed Butter, Tocopherol	**Beraca***	**5.00**
	Cremerlin Pura	Olus (Vegetable) Oil	Cremer Care	7.00
	dermofeel® MCT	Tricaprylin	**Dr. Straetmans**	**2.00**
	dermofeel® TEC eco	Triethyl Citrate	**Dr. Straetmans**	**3.00**
	dermofeel® Toco 70	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	**Dr. Straetmans**	**0.05**
B1	Frescolat ML cryst.	Menthyl Lactate	Symrise	0.20
C	Deionised Water	Aqua		5.00
	Emprove Harnstoff perlform	Urea	Merck	2.00
D	Perf. Grapefruit	Parfum	Cosnaderm	0.35
				100.00

Manufacturing Procedure:
1. Heat phase A and B up to 78°C. Disperse A1 in A and dissolve B1 in phase prior emulsification.
2. Emulsifiy phase A into phase B Homogenize for approx. 2 min. using an Ultra-Turrax
3. Cool down to 35°C under stirring and add pre-solution of phase C and perfume oil.

Specification Values:
Appearance: white cream;
pH: 5.0 – 6.0.
Viscosity (Brookfield: Helipath TF; Speed 10): Approx. 20.000 – 40.000 mPa·s.
Centrifugation (4.000 rpm, 15 min.): No separation.

Stability: More than 3 months stable at 20°C, 40°C and 4°C.
Microbiological Stability: Proven.

*** distributed in Germany by Dr. Straetmans GmbH**

Disclaimer:
The information contained herein is meant to demonstrate how our products can be used. The given data are suggestions without any guarantee aimed to support customers' development. As production conditions at our customers' facilities are beyond our control we refuse to accept any liability involved in the use of our products. Please observe possible third party patent rights.

Dr. Straetmans Chemische Produkte GmbH, Merkurring 60-62, D-22143 Hamburg, Germany
T +49 (0)40-66 93 56-0, F +49 (0)40-66 93 56-310, info@dr-straetmans.de
http://www.dr-straetmans.de